



SPRAY BOTTLE



1. Fill water to required quantity



DILUTER BOTTLE



1. Fill water to required quantity



BUCKET



1. Fill water to required quantity

| Dilution | Concentration (ppm) | Tablets Dilution (1g tablet per) | Tablets Dilution (5g tablet per) | Use |
|-----------------------------------|---------------------|----------------------------------|----------------------------------|-------------------------------|
| Hospital Grade Disinfection | 1000 | 300 ml | 1.5 L | Spray / Wipe / Mop |
| Critical Toilet and Bathroom | 1000 | 300 ml | 1.5 L | Spray / Wipe / Mop |
| Day-to-Day Use | 150 | 2 L | 10L | Spray / Wipe / Mop |
| Alternative Day-to-Day Use | 400 | 1 tablet per spray bottle | | Spray / Wipe |
| No-Rinse Food Surface (MPI's C42) | 150 | 2 L | 10 L | Spray / Wipe |
| Toilet Cleaner | | 1 tablet per bowl | | Once dissolved, use as normal |
| Mops and Dishcloth Soak | 60 | 5 L | 25 L | Soak for 1 hour |



2. Add tablet to water



2. Add tablet to water



2. Add tablet to water



3. Wait for it to dissolve



3. Wait for it to dissolve



3. Wait for it to dissolve



4. Ensure lid is tight and invert twice



4. Ensure lid is tight and invert twice



4. Give a quick stir

5. Use as required



SPRAY



WIPE



MOP



RINSE



SOAK